

2023 Annual Catalog










Single P.W.C. Docks


All stated prices are applicable exclusively for selfinstallation. Our packages are inclusive of installation tools and comprehensive instructions to facilitate a seamless installation process.


Your Ticket To Ride™














LEGEND

PEDESTAL WINCH w/ STRAP & HOOK

> - PERIMETER TIE-OFF CLEAT

- MODULE ASSEMBLY

OPEN AREA


- INVERTED MODULE


- CUSTOM ADDED LANE


- INNER-BUNKS

- CRAFT SILHOUETTE

★ NOTE: Well insert or additional cubes can be added to













for

All stated prices are applicable exclusively for selfinstallation. Our packages are inclusive of installation tools and comprehensive instructions to facilitate a seamless installation process.

Your Ticket To Ride™



TWIN UNIVERSAL P.W.C. Dock

Size: 10' wide x 160" long Cubes: 42

Item No.: D02-02-CC-000

\$5,970.00

\$7,050.00

Twin P.W.C. Docks




TWIN UNIVERSAL XL P.W.C. Dock

Size: 10 'wide x 180" long Cubes: 50

Æ

Item No.: D02-02-XL-000

\$7,050.00



TWIN UNIVERSAL HD P.W.C. Dock

Size: 10' wide x 160" long

Cubes: 44

Item No.: D02-02-HD-000

\$6,240.00

F

Expand as needed F

Œ

Expand as needed

Ð

added lane

Expand as needed

added lane -

TWIN UNIVERSAL P.W.C. Dock

(With added port lane) Size: 11'8" wide x 160" long

Cubes: 50

Item No.: D02-02-CC-100




TWIN UNIVERSAL XL P.W.C. Dock

(With added bow lane) Size: 10' wide x 200" long

Cubes: 56

Item No.: D02-02-XL-010

\$7,860.00




TWIN UNIVERSAL HD P.W.C. Dock

(With added starboard lane) Size: 11'8" wide x 160" long

Cubes: 52

Item No.: D02-02-HD-001

\$7,320.00



TWIN UNIVERSAL P.W.C. Dock

(With added bow and port lanes) Size: 11'8" wide x 180" long


Cubes: 57

Item No.: D02-02-CC-110

\$7,995.00

STANDARD FEATURES

- ASSEMBLED AND READY TO USE
- LIFETIME LIMITED WARRANTY
- DURABLE HIGH DENSITY POLYETHYLENE CONSTRUCTION
- PATENTED DRIVE-ON RAMPED DESIGN
- PATENTED, MODULAR, CHANGEABLE CONFIGURATIONS
- NON-SKID SURFACE
- EXPANDABLE WALK-AROUND SPACE
- BACK-UP SAFETY WINCH
- PERIMETER TIE-OFF CLEATS
- PROVISIONS FOR SECURITY SYSTEM
- INSTALLATION
- DRY, SELF-BAILING, WATER-DRAINING DECK
- ADJUSTABLE KEEL GUIDANCE TRACK




TWIN UNIVERSAL HD P.W.C. Dock

(With added bow and starboard lanes) Size: 11'8" wide x 180" long

Cubes: 59

Item No.: D02-02-HD-011

\$8,265.00



TWIN UNIVERSAL P.W.C. Dock


(With added center lane) Size: 11'8" wide x 160" long Cubes: 50

Item No.: D02-02-CC-0001

\$7,050.00



Sales@modularmarinesolutions.com



TWIN UNIVERSAL HD P.W.C. Dock

(With added center lane) Size: 11'8" wide x 160" long Cubes: 52

Item No.: D02-02-HD-0001

\$7,320.00




for

Custom P.W.C. Docks

All stated prices are applicable exclusively for selfinstallation. Our packages are inclusive of installation tools and comprehensive instructions to facilitate a seamless installation process.

Your Ticket To Ride™



LEGEND


PEDESTAL WINCH w/ STRAP & HOOK

() - PERIMETER TIE-OFF CLEAT

- MODULE ASSEMBLY

OPEN AREA

- INVERTED MODULE



F Twin Craft Platforms

TWIN ECONOMY Stand-Up P.W.C. Dock

Size: 100" wide x 120" long

Item No.: D02-06-SU-000


Cubes: 28

∌

\$3,780.00

STANDARD FEATURES

- ASSEMBLED AND READY TO USE
- LIFETIME LIMITED WARRANTY
- DURABLE HIGH DENSITY POLYETHYLENE CONSTRUCTION
- PATENTED DRIVE-ON RAMPED DESIGN
- PATENTED, MODULAR, CHANGEABLE CONFIGURATIONS
- NON-SKID SURFACE
- 360° WALK-AROUND SPACE
- BACK-UP SAFETY WINCH
- PERIMETER TIE-OFF CLEATS
- PROVISIONS FOR SECURITY SYSTEM INSTALLATION
- DRY, SELF-BAILING, WATER-DRAINING DECK



TWIN UNIVERSAL Stand-Up P.W.C. Dock

Size: 120" wide x 140" long


Cubes: 40 Item No.: D02-07-SU-000

\$5,400.00


Æ

In-Line Platforms

Ŧ







Sales@modularmarinesolutions.com

TIONS

DOCK PLANNER™ DIAGRAMS

Universal Combination Docks

(16' Boat Dock w/Universal HD PWC)

All stated prices are applicable exclusively for selfinstallation. Our packages are inclusive of installation tools and comprehensive instructions to facilitate a seamless installation process.

Your Ticket To Ride™




LEGEND

- PIVOTING PEDESTAL WINCH 0 w/MECHANICAL ASSIST LAUNCH SYSTEM
- PEDESTAL WINCH w/ STRAP & HOOK
- PERIMETER TIE-OFF CLEAT
 - MODULE ASSEMBLY
- OPEN AREA
- INVERTED MODULE
- CUSTOM ADDED LANE



F Expand as needed Ð



UNIVERSAL 1:1 Combo Dock


(With added bow lane) Size: 15' wide x 20' long Cubes: 92

Item No.: T.B.D

\$12,570.00

STANDARD FEATURES


- PRE-ASSEMBLED FOR SHIPPING
- LIFETIME LIMITED WARRANTY
- DURABLE HIGH DENSITY POLYETHYLENE CONSTRUCTION
- PATENTED DRIVE-ON RAMPED DESIGN
- PATENTED, MODULAR, CHANGEABLE CONFIGURATIONS
- NON-SKID SURFACE
- 270° WALK-AROUND SPACE
- BACK-UP SAFETY WINCH TURRET
- PERIMETER TIE-OFF CLEATS
- PROVISIONS FOR SECURITY SYSTEM INSTALLATION
- DRY, SELF-BAILING, WATER-DRAINING DECK
- MECHANICAL WINCH ASSIST LAUNCH SYSTEM
- PATENT PENDING BUOYANCY BEAM™ SYSTEM



UNIVERSAL 1:2 Combo Dock (With added bow lane) Size: 20' wide x 20' long

Cubes: 117

Item No.: T.B.D \$16,095.00



UNIVERSAL 1:1 Combo Dock


(With added port and starboard lanes) Size: 18'4" wide x 18'4" long

Cubes: 102 Item No.: T.B.D

\$13,920.00







(With added bow,port and starboard lanes) Size: 18'4" wide x 20' long

Cubes: 113

Item No.: T.B.D

\$15,405.00



Sales@modularmarinesolutions.com






All stated prices are applicable exclusively for selfinstallation. Our packages are inclusive of installation tools and comprehensive instructions to facilitate a seamless installation process.

for

Your Ticket To Ride™



14' - 18' Boats

LEGEND

• PIVOTING PEDESTAL WINCH W/MECHANICAL ASSIST LAUNCH SYSTEM

PERIMETER TIE-OFF CLEAT

→← - BUOYANCY BEAM[™] (submersed)


- OUTER-BUNK

MODULE ASSEMBLY


OPEN AREA

- INVERTED MODULE

CUSTOM ADDED LANE




WIDE BEAM CRAFT MAY REQUIRE ADDITIONAL PORT AND STARBOARD LANES





STANDARD FEATURES

- PRE-ASSEMBLED FOR SHIPPING
- LIFETIME LIMITED WARRANTY
- DURABLE HIGH DENSITY POLYETHYLENE CONSTRUCTION
- PATENTED DRIVE-ON RAMPED DESIGN
- PATENTED, MODULAR, CHANGEABLE
 CONFIGURATIONS
- CONFIGURATIONS
 NON-SKID SURFACE
- 270° WALK-AROUND SPACE
- BACK-UP SAFETY WINCH TURRET
- PERIMETER TIE-OFF CLEATS
- PROVISIONS FOR SECURITY SYSTEM INSTALLATION
- MECHANICAL WINCH ASSIST LAUNCH SYSTEM
 PATENT PENDING BUOYANCY BEAM™ SYSTEM

\$10,935.00







UNIVERSAL 18ft. Wide-Body Boat Dock

Size: 11'8" wide x 20' long

Item No.: D01-07-CC-101

Cubes: 81



(352) 436-4826

All prices plus freight & installation.

Designs subject to change.

Some cubes may be compromised to facilitate assembly and use.



for

19' - 23' Boats

All stated prices are applicable exclusively for selfinstallation. Our packages are inclusive of installation tools and comprehensive instructions to facilitate a seamless installation process.

Your Ticket To Ride™



LEGEND

PIVOTING PEDESTAL WINCH O w/MECHANICAL ASSIST LAUNCH SYSTEM

PERIMETER TIE-OFF CLEAT

BUOYANCY BEAM™ (submersed)

OUTER-BUNK

INNER-BUNK

KEEL DEFLECTION SYSTEM

MODULE ASSEMBLY

OPEN AREA


INVERTED MODULE



WIDE BEAM CRAFT MAY REQUIRE ADDITIONAL PORT AND STARBOARD LANES








UNIVERSAL 20ft. Wide-Body Boat Dock Size: 11'8" wide x 23'4" long


Cubes: 94


Item No.: D01-09-CC-101

\$12,690.00

.._. STANDARD AQUAPAD SYSTEMS







All prices plus freight & installation. Designs subject to change. Some cubes may be compromised to facilitate as sembly and use.



DOCK PLANNER™ DIAGRAMS

Economy Docks

for PWC's: 12'-16' Boats

All stated prices are applicable exclusively for selfinstallation. Our packages are inclusive of installation tools and comprehensive instructions to facilitate a seamless installation process.

LEGEND


- PIVOTING PEDESTAL WINCH () w/MECHANICAL ASSIST LAUNCH SYSTEM
- PEDESTAL WINCH w/ STRAP & HOOK
- PERIMETER TIE-OFF CLEAT
- BUOYANCY BEAM[™] (submersed)
- **OUTER-BUNK**
- KEEL DEFLECTION SYSTEM
- MODULE ASSEMBLY
- OPEN AREA
- INVERTED MODULE

- vs -

UNIVERSAL \$2,985.00

- vs -

- VS -



ECONOMY P.W.C. Dock (No Winch)

Size: 60" wide x 160" long

Cubes: 21

Item No.: D01-00-CC-000

\$2,835.00

ONLY FOR CRAFT UP TO 12ft. LONG



UNIVERSAL

ECONOMY 12ft. Boat Dock Size: 8'4" wide x 15' long

Cubes: 35 Item No.: E01-04-CC-000

\$4,725.00

UNIVERSAL 12ft. Boat Dock Size: 8'4" wide x 15' long

Cubes: 43

Item No.: D01-04-CC-000 \$5,805.00

UNIVERSAL STANDARD FEATURES

- ASSEMBLED AND READY TO USE
- LIFETIME LIMITED WARRANTY
- DURABLE HIGH DENSITY POLYETHYLENE CONSTRUCTION
- PATENTED DRIVE-ON RAMPED DESIGN
- PATENTED, MODULAR, CHANGEABLE, EXPANDABLE CONFIGURATIONS
- NON-SKID SURFACE
- 270° WALK-AROUND SPACE
- · PERIMETER TIE-OFF CLEATS
- · PROVISIONS FOR SECURITY SYSTEM INSTALLATION
- DRY, SELF-BAILING, WATER-DRAINING DECK
- NON-POLLUTING CONSTRUCTION
- ALL WEATHERPROOF
- UV STABLE

ONLY FOR CRAFT UP TO 14ft. LONG



UNIVERSAL

ECONOMY 14ft. Boat Dock Size: 8'4" wide x 16'8" long Cubes: 40

Item No.: E01-05-CC-000 \$5,400.00 UNIVERSAL 14ft. Boat Dock Size: 8'4" wide x 16'8" long


Cubes: 47

Item No.: D01-05-CC-000

UNIVERSAL

\$6,345.00

ONLY FOR CRAFT UP TO 16ft. LONG



- VS -

ECONOMY 16ft. Boat Dock Size: 8'4" wide x 18'4" long Cubes: 45

Item No.: E01-06-CC-000

\$6,075.00

UNIVERSAL 16ft. Boat Dock Size: 8'4" wide x 18'4" long Cubes: 52

Item No.: D01-06-CC-000

\$7,020.00

Sales@modularmarinesolutions.com



DOCK PLANNER™ DIAGRAMS

Regulated Buoyancy Cell Air-lift AquaPad [™] Systems

22' - 26' Boats

All stated prices are applicable exclusively for selfinstallation. Our packages are inclusive of installation tools and comprehensive instructions to facilitate a seamless installation process.

Sales@modularmarinesolutions.com

LEGEND

• PIVOTING PEDESTAL WINCH

- REGULATED BUOYANCY CELL

- OUTER-BUNK

- INNER-BUNK

KEEL DEFLECTION SYSTEM

MODULE ASSEMBLY

OPEN AREA

INVERTED MODULE

*NOTE: Only for craft with 9.5' beam or less. For calm water areas only. Minimum 4 foot depth required at stern half of dock. Access to electricity needed.


Steps, or Boarding Lane, or other boarding device may be required for certain craft. Certified installation required.



STANDARD FEATURES

- LIFETIME LIMITED WARRANTY
- DURABLE HIGH DENSITY POLYETHYLENE CONSTRUCTION
- PATENTED DRIVE-ON RAMPED DESIGN
- PATENTED, MODULAR, CHANGEABLE CONFIGURATIONS
- NON-SKID SURFACE
- 270° WALK-AROUND SPACE
- BACK-UP SAFETY WINCH TURRET
- PERIMETER TIE-OFF CLEATS
- DRY, SELF-BAILING, WATER-DRAINING DECK
- MECHANICAL WINCH ASSIST LAUNCH SYSTEM
- ADJUSTABLE BUOYANCY SYSTEM
- ADJUSTABLE BUOYANCY
- HDPE TUBULAR BUNK SUPPORT SYSTEM
- HDPE TUBULAR KEEL DEFLECTION SYSTEM
- CUSTOM DRIVE-ON BOW TRACKING SYSTEM
- PATENTED KEEL GUIDANCE SYSTEM
- POWERHEAD





UNIVERSAL 22ft. Regulated Buoyancy Cell Dock


Size: 11'8" wide x 25' long

Cubes: 104

Item No.: D01-15-BC-000

\$20,040.00





UNIVERSAL 23ft. Regulated Buoyancy Cell Dock


Size: 11'8" wide x 26'8" long

Cubes: 111

Item No.: D01-16-BC-000

\$20,985.00





UNIVERSAL 25ft. Regulated Buoyancy Cell Dock


Size: 11'8" wide x 30' long

Cubes: 125

Item No.: D01-18-BC-000

\$22,875.00





UNIVERSAL 26ft. Regulated Buoyancy Cell Dock

Size: 11'8" wide x 31'8" long

Cubes: 132

Item No.: D01-19-BC-000

\$23,820.00

Performance Series

Air-Lift AquaPad[™] Systems

Boats 25' - 30'

All stated prices are applicable exclusively for selfinstallation. Our packages are inclusive of installation tools and comprehensive instructions to facilitate a seamless installation process.

Sales@modularmarinesolutions.com

LEGEND

Your Ticket To Ride™

- PIVOTING PEDESTAL WINCH

- PERIMETER TIE-OFF CLEAT (þ

PERFORMANCE LIFT SYSTEM

OUTER-BUNK

- INNER-BUNK

MODULE ASSEMBLY

OPEN AREA

- INVERTED MODULE

Steps, or Boarding Lane, or other boarding device may be required for certain craft.





STANDARD FEATURES


- LIFETIME LIMITED WARRANTY
- DURABLE HIGH DENSITY POLYETHYLENE CONSTRUCTION
- PATENTED DRIVE-ON RAMPED DESIGN
- PATENTED, MODULAR, CHANGEABLE
- CONFIGURATIONS
- NON-SKID SURFACE
- 270° WALK-AROUND SPACE
- BOW RETENTION WINCH TURRET
- PERIMETER TIE-OFF CLEATS
- DRY, SELF-BAILING, WATER-DRAINING DECK ADJUSTABLE BUOYANCY
- HDPE TUBULAR BUNK SUPPORT SYSTEM
- HDPE TUBULAR KEEL DEFLECTION SYSTEM
- CUSTOM DRIVE-ON BOW TRACKING SYSTEM
- PATENTED KEEL GUIDANCE SYSTEM
- POWERHEAD


*NOTE: Only for craft with 9.5' beam or less. For calm water areas only. Minimum 6 foot depth required at stern half of dock. Access to electricity needed.

Certified installation required. Bunk and Pontoon length may vary depending on craft.











Performance Series Air-Lift AquaPad[™] Systems

All stated prices are applicable exclusively for selfinstallation. Our packages are inclusive of installation tools and comprehensive instructions to facilitate a seamless installation process.

Sales@modularmarinesolutions.com

Your Ticket To Ride™

LEGEND

- PIVOTING PEDESTAL WINCH O

PERIMETER TIE-OFF CLEAT

PERFORMANCE LIFT SYSTEM

- BOARDING STEPS

OUTER-BUNK

INNER-BUNK

MODULE ASSEMBLY

OPEN AREA

- INVERTED MODULE

Boats 25'-30'




STANDARD FEATURES


- LIFETIME LIMITED WARRANTY
- DURABLE HIGH DENSITY POLYETHYLENE CONSTRUCTION
- PATENTED DRIVE-ON RAMPED DESIGN
- PATENTED, MODULAR, CHANGEABLE CONFIGURATIONS
- NON-SKID SURFACE
- 270° WALK-AROUND SPACE
- BOW RETENTION WINCH TURRET
- PERIMETER TIE-OFF CLEATS
- DRY, SELF-BAILING, WATER-DRAINING DECK
- ADJUSTABLE BUOYANCY
- HDPE TUBULAR BUNK SUPPORT SYSTEM
- HDPE TUBULAR KEEL DEFLECTION SYSTEM
- CUSTOM DRIVE-ON BOW TRACKING SYSTEM
- PATENTED KEEL GUIDANCE SYSTEM
- SAFETY BOARDING STEPS w/ RAILING
- POWERHEAD


*NOTE: Only for craft with 10.5' beam or less. For calm water areas only.


Minimum 6 foot depth required at stern half of dock. Access to electricity needed.

Certified installation required. Bunk and Pontoon length may vary depending on










DOCK PLANNER™ DIAGRAMS

Performance Series Air-Lift AquaPad™ Systems Boats 30' – 38'

All stated prices are applicable exclusively for selfinstallation. Our packages are inclusive of installation tools and comprehensive instructions to facilitate a seamless installation process.

Sales@modularmarinesolutions.com




UNIVERSAL 32ft. Performance Series AquaPad™

Size: 15' wide x 36'8" long

Cubes: 197

Item No.: D01-22-PD-101

\$42,095.00




UNIVERSAL 35ft. Performance Series AquaPad™

Size: 15' wide x 40' long

Item No.: D01-24-PD-101

\$44,525.00



UNIVERSAL 38ft. Performance Series AquaPad™

Size: 15' wide x 41'8" long

Item No.: D01-25-PD-101 \$45,740.00

STANDARD FEATURES

- LIFETIME LIMITED WARRANTY
- DURABLE HIGH DENSITY POLYETHYLENE CONSTRUCTION
- PATENTED DRIVE-ON RAMPED DESIGN
- PATENTED, MODULAR, CHANGEABLE CONFIGURATIONS
- NON-SKID SURFACE
- 270° WALK-AROUND SPACE
- BOW RETENTION WINCH TURRET
- PERIMETER TIE-OFF CLEATS
- DRY, SELF-BAILING, WATER-DRAINING DECK
- ADJUSTABLE BUOYANCY
- HDPE TUBULAR BUNK SUPPORT SYSTEM
- HDPE TUBULAR KEEL DEFLECTION SYSTEM · CUSTOM DRIVE-ON BOW TRACKING SYSTEM
- PATENTED KEEL GUIDANCE SYSTEM
- SAFETY BOARDING STEPS w/ RAILING
- POWERHEAD

LEGEND

- PIVOTING PEDESTAL WINCH



PERFORMANCE LIFT SYSTEM

- BOARDING STEPS

OUTER-BUNK

- INNER-BUNK - MODULE ASSEMBLY

*NOTE: Only for craft with 10.5' beam or less. For calm water areas only. Minimum 6 foot depth required at stern half of dock. Access to electricity needed.

Certified install is required to ensure proper calibration of these Air-Lift AquaPad™ Systems.

Bunk and Pontoon length may vary depending on craft.






DOCK PLANNER™ DIAGRAMS

Performance Series Air-Lift AquaPad™ Systems

All stated prices are applicable exclusively for selfinstallation. Our packages are inclusive of installation tools and comprehensive instructions to facilitate a seamless installation process.

Sales@modularmarinesolutions.com



UNIVERSAL 42ft. Performance Series AquaPad™

Size: 15' wide x 46'8" long

Item No.: D01-28-PD-101

\$52,385.00

STANDARD FEATURES

- LIFETIME LIMITED WARRANTY
- DURABLE HIGH DENSITY POLYETHYLENE CONSTRUCTION
- PATENTED DRIVE-ON RAMPED DESIGN
- PATENTED, MODULAR, CHANGEABLE CONFIGURATIONS
- NON-SKID SURFACE
- 270° WALK-AROUND SPACE
- BOW RETENTION WINCH TURRET
- PERIMETER TIE-OFF CLEATS
- DRY, SELF-BAILING, WATER-DRAINING DECK
- ADJUSTABLE BUOYANCY
- HDPE TUBULAR BUNK SUPPORT SYSTEM
- HDPE TUBULAR KEEL DEFLECTION SYSTEM
- CUSTOM DRIVE-ON BOW TRACKING SYSTEM
- PATENTED KEEL GUIDANCE SYSTEM
- SAFETY BOARDING STEPS w/ RAILING
- POWERHEAD

LEGEND


- PIVOTING PEDESTAL WINCH
- PERIMETER TIE-OFF CLEAT
 - PERFORMANCE LIFT SYSTEM
- BOARDING STEPS
 - **OUTER-BUNK**
- INNER-BUNK
- MODULE ASSEMBLY

*NOTE: Only for craft with 10.5' beam or less. For calm water areas only. Minimum 6 foot depth required at stern half of dock. Access to electricity needed.

Certified install is required to ensure proper calibration of these Air-Lift AquaPad™ Systems.

Bunk and Pontoon length may vary depending on craft.

Depending on craft weight and use, an alternative, heavy-duty air system is also available. Contact your Dealer for details



UNIVERSAL 50ft. Performance Series AquaPad™

Size: 15' wide x 53'4" long

Item No.: D01-32-PD-101

\$57,245.00





Competition Ski-Boat Dock Systems

w/ Airlift Feature

All stated prices are applicable exclusively for selfinstallation. Our packages are inclusive of installation tools and comprehensive instructions to facilitate a seamless installation process.

Sales@modularmarinesolutions.com

Your Ticket To Ride™



LEGEND

- PIVOTING PEDESTAL WINCH

- PERIMETER TIE-OFF CLEAT

- REGULATED BUOYANCY CELL

 $OUTER\text{-}BUNK \text{ w/rope brake}^{\text{\tiny{TM}}} \text{ system}$

INNER-BUNK

MODULE ASSEMBLY

OPEN AREA

- INVERTED MODULE


*NOTE: For calm water areas only. Minimum 4 foot depth required at stern half of dock. Access to electricity needed.

Certified installation is required to ensure proper calibration of these Air-Lift AquaPad™ Systems.

UNIVERSAL 18ft, Air-Assisted Ski Boat Dock Size: 11'8" wide x 21'8" long

Cubes: 83

Item No.: D01-13-SBC-101 \$17,205.00



STANDARD FEATURES

- LIFETIME LIMITED WARRANTY
- DURABLE HIGH DENSITY POLYETHYLENE CONSTRUCTION
- PATENTED DRIVE-ON RAMPED DESIGN
- PATENTED, MODULAR, CHANGEABLE CONFIGURATIONS
- NON-SKID SURFACE
- 270° WALK-AROUND SPACE
- BACK-UP SAFETY WINCH TURRET
- PERIMETER TIE-OFF CLEATS
- PROVISIONS FOR SECURITY SYSTEM INSTALLATION
- DRY, SELF-BAILING, WATER-DRAINING DECK
- MECHANICAL WINCH ASSIST LAUNCH SYSTEM
- ADJUSTABLE BUOYANCY SYSTEM
- ADJUSTABLE BUOYANCY
- HDPE TUBULAR BUNK SUPPORT SYSTEM
- HDPE TUBULAR KEEL DEFLECTION SYSTEM
- CUSTOM DRIVE-ON BOW TRACKING SYSTEM
- KEEL GUIDANCE SYSTEM
- ROPE BRAKE[™] DECELERATION SYSTEM



In-Board powered boats present unique challenges for drive-on docking. Waiver form and professional installation required.





UNIVERSAL 18ft. Pontoon-Boat Dock

Size: 11'8" wide x 23'4" long

Item No.: D80-14-PB-000

Cubes: 88

Distance between hulls (on center): 70-90"

\$11,880.00


Your Ticket To Ride™


$\mathbf{DOCK}\ \mathbf{PLANNER}^{^{\mathsf{TM}}}$ **DIAGRAMS** for

Pontoon-Boat AquaPad Systems

All stated prices are applicable exclusively for selfinstallation. Our packages are inclusive of installation tools and comprehensive instructions to facilitate a seamless installation process.

Sales@modularmarinesolutions.com





UNIVERSAL 20ft. Pontoon-Boat Dock

Distance between hulls (on center): 70-90' Size: 11'8" wide x 25' long

Item No.: D80-15-PB-000


\$12,825.00

LEGEND

- PIVOTING PEDESTAL WINCH O
- PERIMETER TIE-OFF CLEAT
- BUOYANCY BEAM™ (submersed)
- KEEL DEFLECTION SYSTEM
- MODULE ASSEMBLY
- INVERTED MODULE








UNIVERSAL 24ft. Pontoon-Boat Dock

Distance between hulls (on center): 70-90" Size: 11'8" wide x 28'4" long


Cubes: 107

Item No.: D80-17-PB-000 \$14,445.00

- w/MECHANICAL ASSIST LAUNCH SYSTEM
- OPEN AREA







UNIVERSAL 26ft. Pontoon-Boat Dock

Distance between hulls (on center): 70-90"

Size: 11'8" wide x 30' long Cubes: 112

Item No.: D80-18-PB-000

\$15,120.00

UNIVERSAL 28ft. Pontoon-Boat Dock

Distance between hulls (on center): 70-90' Size: 11'8" wide x 31'8" long

Cubes: 119

Item No.: D80-19-PB-000

\$16,065.00



$\mathbf{DOCK}\ \mathbf{PLANNER}^{^{\mathsf{TM}}}$

DIAGRAMS


Tri-toon-Boat AquaPad™ Systems

All stated prices are applicable exclusively for selfinstallation. Our packages are inclusive of installation tools and comprehensive instructions to facilitate a seamless installation process.

Sales@modularmarinesolutions.com

Your Ticket To Ride™







UNIVERSAL 18ft. Tri-Toon Boat Dock

Size: 11'8" wide x 25' long Cubes: 102 Item No.: D40-15-TBC-000

\$19,770.00







UNIVERSAL 22ft. Tri-Toon-Boat Dock

Size: 11'8" wide x 28'4" long Cubes: 116 Item No.: D40-17-TBC-000

\$21,660.00





UNIVERSAL 26ft. Tri-Toon-Boat Dock

Size: 11'8" wide x 31'8" long Cubes: 130

Item No.: D40-19-TBC-000



LEGEND

PIVOTING PEDESTAL WINCH 0 w/MECHANICAL ASSIST LAUNCH SYSTEM

PERIMETER TIE-OFF CLEAT

REGULATED BUOYANCY CELL

KEEL DEFLECTION SYSTEM

MODULE ASSEMBLY

OPEN AREA

- INVERTED MODULE

- INNER-BUNK

STANDARD FEATURES

- LIFETIME LIMITED WARRANTY
 DURABLE HIGH DENSITY POLYETHYLENE CONSTRUCTION
- PATENTED DRIVE-ON RAMPED DESIGN
- PATENTED, MODULAR, CHANGEABLE CONFIGURATIONS
- NON-SKID SURFACE
- 270° WALK-AROUND SPACE
- BACK-UP SAFETY WINCH TURRET
- PERIMETER TIE-OFF CLEATS
- DRY, SELF-BAILING, WATER-DRAINING DECK
- MECHANICAL WINCH ASSIST LAUNCH SYSTEM
- ADJUSTABLE BUOYANCY SYSTEM
- ADJUSTABLE BUOYANCY
- HDPE TUBULAR BUNK SUPPORT SYSTEM
- HDPE TUBULAR KEEL DEFLECTION SYSTEM
- CUSTOM DRIVE-ON BOW TRACKING SYSTEM
- PATENTED KEEL GUIDANCE SYSTEM
- POWERHEAD








UNIVERSAL 20ft. Tri-Toon Boat Dock

Size: 11'8" wide x 26'8" long Cubes: 109

Item No.: D40-16-TBC-000


\$20,715.00



UNIVERSAL 24ft. Tri-Toon-Boat Dock

Size: 11'8" wide x 30' long Cubes: 123 Item No.: D40-18-TBC-000

\$22,605.00



UNIVERSAL 28ft. Tri-Toon-Boat Dock

Size: 11'8" wide x 33'4" long

Cubes: 137 Item No.: D40-20-TBC-000

\$24,495.00



UNIVERSAL 18ft. Power Catamaran Boat Dock

Distance between hulls (on center): 30-50" Size: 11'8" wide x 23'4" long

Cubes: 90

Item No.: D40-14-PC-000 \$12,150.00

DOCK PLANNER™ DIAGRAMS

Power Catamaran AquaPad Systems


(30-50" ON-CENTER HULL SPAN)

LEGEND

- PIVOTING PEDESTAL WINCH 0 w/MECHANICAL ASSIST LAUNCH SYSTEM
- PERIMETER TIE-OFF CLEAT
- BUOYANCY BEAM™ (submersed)
- KEEL DEFLECTION SYSTEM
- MODULE ASSEMBLY
- OPEN AREA
- INVERTED MODULE

All stated prices are applicable exclusively for selfinstallation. Our packages are inclusive of installation tools and comprehensive instructions to facilitate a seamless installation process.

Sales@modularmarinesolutions.com



\$12,825.00

UNIVERSAL 22ft. Power Catamaran Boat Dock

Distance between hulls (on center): 30-50'


Size: 11'8" wide x 26'8" long

Cubes: 102

Item No.: D40-16-PC-000 \$13,770.00

STANDARD FEATURES

- ASSEMBLED AND READY TO USE
- LIFETIME LIMITED WARRANTY
- DURABLE HIGH DENSITY POLYETHYLENE CONSTRUCTION
- PATENTED DRIVE-ON RAMPED DESIGN
- PATENTED, MODULAR, CHANGEABLE CONFIGURATIONS
- NON-SKID SURFACE
- 270° WALK-AROUND SPACE
- BACK-UP SAFETY WINCH TURRET
- · PERIMETER TIE-OFF CLEATS
- SECURITY SYSTEMS AVAILABLE
- DRY, SELF-BAILING, WATER-DRAINING DECK • MECHANICAL WINCH ASSIST LAUNCH SYSTEM
- PATENT PENDING BUOYANCY BEAM $^{\!\scriptscriptstyle{\mathrm{M}}}$ SYSTEM
- ADJUSTABLE BUOYANCY
- HDPE TUBULAR KEEL DEFLECTION SYSTEM
- CUSTOM DRIVE-ON BOW TRACKING SYSTEM
- KEEL GUIDANCE SYSTEM
- STANDARD 8' WEAR-PLATES INCLUDED w/ DOCK. OPTIONAL FULL-LENGTH WEAR-PLATES AVAILABLE FOR AN ADDITIONAL COST.




UNIVERSAL 24ft. Power Catamaran Boat Dock Distance between hulls (on center): 30-50'

Size: 11'8" wide x 28'4" long

Item No.: D40-15-PC-000

Cubes: 107

Item No.: D40-17-PC-000 \$14,445.00




UNIVERSAL 26ft. Power Catamaran Boat Dock Distance between hulls (on center): 30-50"

Size: 11'8" wide x 30' long

Cubes: 114

Item No.: D40-18-PC-000 \$15,390.00





Distance between hulls (on center): 30-50'

Size: 11'8" wide x 31'8" long Cubes: 119

Item No.: D40-19-PC-000 \$16,065.00

LEGEND

MODULE ASSEMBLY


OPEN AREA - INVERTED MODULE

PIVOTING PEDESTAL WINCH w/MECHANICAL ASSIST LAUNCH SYSTEM PERIMETER TIE-OFF CLEAT BUOYANCY BEAM™ (submersed) KEEL DEFLECTION SYSTEM

Power Catamaran AquaPad™ Your Ticket To Ride[™] **Systems**

All stated prices are applicable exclusively for selfinstallation. Our packages are inclusive of installation tools and comprehensive instructions to facilitate a seamless installation process.

Sales@modularmarinesolutions.com




UNIVERSAL 20ft. Power Catamaran Boat Dock

Distance between hulls (on center): 50-70" Size: 10' wide x 25' long

Cubes: 80

Item No.: D60-15-PC-000 \$10,800.00



UNIVERSAL 18ft. Power Catamaran Boat Dock

Distance between hulls (on center): 50-70"


Size: 10' wide x 23'4" long Cubes: 76

Item No.: D60-14-PC-000

\$10,260.00

STANDARD FEATURES

- · ASSEMBLED AND READY TO USE
- LIFETIME LIMITED WARRANTY
- DURABLE HIGH DENSITY POLYETHYLENE CONSTRUCTION
- PATENTED DRIVE-ON RAMPED DESIGN
- PATENTED, MODULAR, CHANGEABLE CONFIGURATIONS
- NON-SKID SURFACE
- 270° WALK-AROUND SPACE
- BACK-UP SAFETY WINCH TURRET
- · PERIMETER TIE-OFF CLEATS
- SECURITY SYSTEMS AVAILABLE
- DRY, SELF-BAILING, WATER-DRAINING DECK
- MECHANICAL WINCH ASSIST LAUNCH SYSTEM
- PATENT PENDING BUOYANCY BEAM[™] SYSTEM
- ADJUSTABLE BUOYANCY
- HDPE TUBULAR KEEL DEFLECTION SYSTEM
- CUSTOM DRIVE-ON BOW TRACKING SYSTEM
- KEEL GUIDANCE SYSTEM
- STANDARD 8' WEAR-PLATES INCLUDED w/ DOCK. OPTIONAL FULL-LENGTH WEAR-PLATES AVAILABLE FOR AN ADDITIONAL COST




UNIVERSAL 22ft. Power Catamaran Boat Dock

Distance between hulls (on center): 50-70' Size: 10' wide x 26'8" long

Cubes: 86

Item No.: D60-16-PC-000


\$11,610.00



Distance between hulls (on center): 50-70"

Size: 10' wide x 28'4" long Cubes: 90


Item No.: D60-17-PC-000 \$12,150.00



UNIVERSAL 26ft, Power Catamaran Boat Dock

Distance between hulls (on center): 50-70' Size: 13'4" wide x 30' long

Item No.: D60-18-PC-000 \$17,820.00




UNIVERSAL 28ft, Power Catamaran Boat Dock

Distance between hull8"s (on center): 50-70' Size: 13'4" wide x 31'8" long

Item No.: D60-19-PC-000 \$18,630.00





$\begin{array}{c} \textbf{DOCK PLANNER}^{\text{\tiny{TM}}} \\ \textbf{DIAGRAMS} \end{array}$

for Sea-Doo Switch

LEGEND

PIVOTING PEDESTAL WINCH O w/MECHANICAL ASSIST LAUNCH SYSTEM

(þ PERIMETER TIE-OFF CLEAT

- REGULATED BUOYANCY CELL

KEEL DEFLECTION SYSTEM

- MODULE ASSEMBLY


- OPEN AREA


- INVERTED MODULE


- V MODULE


All stated prices are applicable exclusively for selfinstallation. Our packages are inclusive of installation tools and comprehensive instructions to facilitate a seamless installation process.


Sales@modularmarinesolutions.com



















DOCK PLANNER™ DIAGRAM

Beige Floating Walkway Systems

All stated prices are applicable exclusively for selfinstallation. Our packages are inclusive of installation tools and comprehensive instructions to facilitate a seamless installation process.

Sales@modularmarinesolutions.com



PERIMETER TIE-OFF CLEAT

- MODULE ASSEMBLY

NOTE: Beige modules for floating walkway applications only. Black colored modules for boat-lift applications.



CONVENTIONAL Floating Platform

Size: 5' wide x 5' long Cubes: 9

Surface Area: 25 sq.ft.



\$1,215.00



CONVENTIONAL Floating Platform

Size: 5' wide x 10' long

Cubes: 18 Surface Area: 50 sq.ft. \$2,430.00




CONVENTIONAL Floating Platform

Size: 6'8" wide x 8'4" long

Cubes: 20

Surface Area: 56 sq.ft.




CONVENTIONAL Floating Platform

Size: 10' wide x 10' long

Cubes: 36

\$4,860.00 Surface Area: 100 sq.ft.



CONVENTIONAL Floating Platform


Size: 10' wide x 20' long


Cubes: 72


\$9,720.00 Surface Area: 200 sq.ft.


CONVENTIONAL Floating Walkway Size: 5' wide x 20' long Cubes: 36 Surface Area: 100 sq.ft. \$4,860.00


\$2,700.00











\$8,505.00